

# ***Sung Kwang*** **Tool & Tech**

Socket • Spanner • Tool Accessories • Grease Pump • Etc.



# Since 1976

## A hand tool NO.1 *Sung Kwang* *Tool & Tech*



“ It is produced directly in Korea and prioritizes ”  
high quality and customer satisfaction



---

## CEO Greetings

---

# Customer satisfaction is our top priority

Starting as Sungkwang Metal Industry, established in 1976, Sungkwang Tool & Tech have accumulated a great deal of know-how and thus are a well-distinguished company that produces and supplies trustable work tools and OEM tools.

We have been constantly trying to raise the prestige of Korean products and practicing the founding philosophy of designing and producing high-functioning products that are light and solid. We would like to present you with our high-end and sturdy tools to use at the shop floor. Sungkwang Tool & Tech will pioneer various markets to flourish and improve all the more.

Sungkwang Tool & Tech **Representative**

---

## Overview

Sungkwang Tool & Tech practices the founding philosophy of design and production of high-functioning products that are light and solid. The consistent and determined practice of our corporate philosophy has been the driving force behind the customer's love and growth.

With their superior quality and unique design, Sungkwang's products are light, strong, and functional. This is why our products are considered the most preferred among the same kind of products, and we are even constantly doing our best to satisfy our customers with excellent quality and product diversity.


We keep presenting a variety of products and grasping the latest trends, through which we continue to pioneer Sungkwang's unique market area.

---


## Product



Socket



Spanner



Tool Accessories



Grease Pump



Etc.

# Socket

## 6-POINT IMPACT SOCKET

! Other specifications can be customized.



### 1/2" SQ

Size(mm)	D1(mm)	D2(mm)	L(mm)
6	14	25	37
8	14	25	38
9	16	24	37
10	17	24	37
12	20	24	37
13	22	24	38
14	25	-	42
15	24	-	41
16	25	23	39
17	26	-	41
18	28	-	43
19	30	-	46
20	30	-	41
21	32	29	43
22	34	29	46
23	35	30	49
24	37	30	46
25	38	32	50
26	40	33	48
27	40	30	46
28	42	30	46
29	43	35	54
30	46	31	52
32	46	31	53
33	48	32	51
34	50	35	60
35	52	40	60
36	53	35	60
38	56	35	61

### 3/4" SQ

Size(mm)	D1(mm)	D2(mm)	L(mm)
17	30	37	57
18	31	37	56
19	33	37	57
20	33	37	57
21	35	37	57
22	37	-	57
23	37	-	59
24	38	-	57
25	40	-	60
26	41	-	62
27	42	-	60
28	43	-	59
29	44	41	62
30	44	38	52
31	48	41	53
32	49	40	54
33	51	40	56
34	52	42	56
35	53	42	57
36	54	42	58
37	55	44	60
38	56	45	59
39	57	45	58
40	61	45	64
41	62	45	64
42	63	45	63
43	63	45	64
44	66	45	65
45	67	44	66
46	68	45	66
47	68	45	66

► The product size may have some errors depending on the manufacturing process and the method of measuring the size.



## 6-POINT IMPACT SOCKET

! Other specifications can be customized.



### 3/4" SQ

Size(mm)	D1(mm)	D2(mm)	L(mm)
48	71	45	69
49	72	50	70
50	73	46	69
51	75	54	73
52	76	54	77
53	78	53	72
54	79	53	73
55	79	53	72
56	82	55	76
57	84	55	76
58	84	55	76
59	86	55	80
60	88	57	77
62	90	57	83
63	92	57	80
64	94	57	80
65	95	57	80
67	97	60	79
68	98	60	80
70	98	59	80
72	102	60	89
75	107	62	89


### 1" SQ

Size(mm)	D1(mm)	D2(mm)	L(mm)
19	31	49	67
20	32	49	68
21	34	49	66
22	36	49	67
23	37	49	67
24	39	49	66
25	39	49	66
26	41	49	66
27	43	49	68
28	45	49	66
29	47	49	66
30	47	49	69
31	49	-	66
32	50	-	67
33	49	-	68
34	52	49	68
35	53	49	71
36	55	49	70
37	56	50	68
38	57	50	71
39	57	50	70
40	61	53	64
41	62	53	66
42	63	53	63
43	65	54	66
44	67	53	68
45	67	54	70
46	68	54	67
47	69	54	66
48	71	54	72
49	71	54	73

# Socket

## 6-POINT IMPACT SOCKET

! Other specifications can be customized.



### 1" SQ

Size(mm)	D1(mm)	D2(mm)	L(mm)
50	73	54	69
51	75	54	71
52	77	54	75
53	78	54	78
54	78	53	71
55	79	53	71
56	83	55	78
57	84	55	76
58	85	55	79
59	86	55	79
60	88	55	80
61	89	57	83
62	90	57	82
63	92	61	81
64	94	61	86
65	95	61	80
67	97	61	80
68	98	61	79
70	99	61	81
71	99	61	78
72	106	62	98
73	107	62	90
75	107	62	91
77	114	66	98
80	117	90	103
85	119	90	104
90	128	95	110
95	135	100	110
100	138	100	109

### 1 1/2" SQ


Size(mm)	D1(mm)	D2(mm)	L(mm)
46	70	77	84
50	78	-	84
55	83	-	85
60	89	83	87
65	98	86	92
70	102	85	98
75	108	85	100
80	117	90	107
85	119	95	110
90	129	105	111
95	135	110	114
100	138	110	113



► The product size may have some errors depending on the manufacturing process and the method of measuring the size.

## 6-POINT DEEP IMPACT SOCKET

! Other specifications can be customized.



### 1/2" SQ

Size(mm)	D1(mm)	D2(mm)	L(mm)
14	27	-	80
17	27	-	80
19	30	-	80
22	35	30	80
24	36	31	80
30	45	35	80
32	45	37	80
36	-	-	-
38	-	-	-
41	-	-	-

### 3/4" SQ

Size(mm)	D1(mm)	D2(mm)	L(mm)
19	32	37	90
21	35	37	90
22	35	37	90
23	37	-	90
24	37	-	90
25	37	-	90
26	41	-	90
27	42	-	90
28	43	-	90
29	43	-	90
30	47	40	90
32	49	42	90
33	49	43	90
34	52	45	90
35	53	45	90
36	55	45	90
38	57	47	90
40	60	50	90
41	62	53	90
46	67	55	90
50	74	58	90
55	79	60	95

### 1" SQ

Size(mm)	D1(mm)	D2(mm)	L(mm)
22	35	49	100
23	37	49	100
24	39	49	100
26	41	49	100
27	43	49	100
28	45	49	100
29	47	49	100
30	47	49	100
32	49	-	100
33	49	-	100
34	52	49	100
35	53	49	100
36	55	49	100
38	57	50	100
41	62	53	100
46	67	57	100
50	74	60	100
55	79	63	105
60	89	70	107

### 1 1/2" SQ

Size(mm)	D1(mm)	D2(mm)	L(mm)
41	70	86	140
46	75	86	140
50	80	86	140
55	86	86	140
60	92	86	140
65	100	86	140
70	105	86	140
75	109	86	140
80	115	86	140
85	120	86	140
90	130	86	140
95	135	127	140
100	140	127	150

# Socket

## 12-POINT IMPACT SOCKET



### 3/4" SQ

Size(mm)	D1(mm)	D2(mm)
19	30	37
21	32	36
22	33	36
24	38	-
26	39	-
27	42	-
28	43	39
29	44	39
30	46	40
32	48	41
38	55	46
41	60	44
46	67	45
48	68	55

! Other specifications can be customized.  
(Other sizes are in stock.)



### 1" SQ

Size(mm)	D1(mm)	D2(mm)
32	49	-
36	54	-
38	56	-
41	61	53
46	69	53
50	73	53
54	77	60
55	77	53
60	85	55
63	88	55
65	92	60
70	100	70
75	105	70

## IMPACT SOCKET ADAPTER



Size(")
3/8SQ x 1/2
1/2SQ x 3/8
1/2SQ x 3/4
3/4SQ x 1/2
3/4SQ x 1"
1SQ x 3/4
1SQ x 1 1/2
1 1/2SQ x 1"

▶ The product size may have some errors depending on the manufacturing process and the method of measuring the size.



## 4-POINT IMPACT SOCKET



! Other specifications can be customized.

### 1/2" SQ

Size(mm)
10
11
12
13
14
17
19
22
25

### 1" SQ

Size(mm)
17
19
21
22

## IMPACT HEX BIT SOCKET



### 3/4" SQ

Size(mm)
14
17
19



### 1" SQ

Size(mm)
17
19
22
24
27
30
32
36




### 1 1/2" SQ

Size(mm)
24
27
30
32
36

# Spanner

## HAMMER RING SPANNER

! Other specifications can be customized.



Size(mm)	D(mm)	T(mm)	L(mm)
21	50	20	183
22	50	20	183
24	50	20	185
25	50	20	185
26	50	20	185
27	50	20	185
28	50	20	185
29	50	20	185
30	50	20	185
31	56	18	190
32	56	18	190
33	56	18	190
34	56	18	190
35	65	22	225
36	65	22	225
37	65	22	225
38	65	22	225
39	65	22	228
40	68	21	228
41	68	21	228
42	68	21	228
43	70	20	228
44	74	23	235
45	74	23	235

Size(mm)	D(mm)	T(mm)	L(mm)
46	74	23	235
47	75	23	235
48	74	23	235
49	77	22	237
50	77	22	237
51	79	22	239
52	79	22	240
53	81	21	241
54	93	27	277
55	93	27	278
56	93	27	278
57	93	27	278
58	93	27	278
59	94	27	278
60	94	27	278
63	99	25	283
65	100	25	285
67	100	25	285
68	103	25	288
70	105	24	289
71	105	24	289
75	122	33	345
80	122	33	345
85	128	33	352
90	133	33	355

► The product size may have some errors depending on the manufacturing process and the method of measuring the size.

## HOOK SPANNER WRENCH

! Other specifications can be customized.



Size(mm)
16 - 20
25 - 28
30 - 32
34 - 36
40 - 42
45 - 50

Size(mm)
52 - 55
58 - 62
68 - 75
80 - 90
90 - 100
95 - 100

## ADJUSTABLE HOOK SPANNER WRENCH



Size(mm)
35 - 105
95 - 165

# Tool Accessories

## REVERSIBLE RATCHET HANDLE



! Other specifications can be customized.

Size(SQ)	Length(mm)
3/4"	500
1"	500

## HINGE HANDLE



Size(SQ)	Length(mm)
1/2"	280
3/4"	510
1"	580

## SLIDING T-HANDLE



Size(SQ)	Length(mm)
1/2"	250
3/4"	450
1"	560

➤ The product size may have some errors depending on the manufacturing process and the method of measuring the size.



## EXTENSION BAR



! Other specifications can be customized.

### 1/2" SQ

Size(inch)
5"
8"
10"

### 3/4" SQ

Size(inch)
4"
8"
16"

### 1" SQ

Size(inch)
8"
16"

## IMPACT EXTENSION BAR



### 1/2" SQ

Size(inch)
3"
5"
7"
10"

### 3/4" SQ

Size(inch)
4"
8"
16"

### 1" SQ

Size(inch)
8"
16"

### 1 1/2" SQ

Size(inch)
8"
10"

## JOINT



Size(SQ)	Length(mm)
3/4"	110

## IMPACT JOINT



Size(SQ)	Length(mm)
3/4"	110

# Grease Pump



! Other specifications can be customized.

Grease Pump
200cc



Grease Pump
500cc



C-oil Pump
700cc

## Grease Injector

Sungkwang's grease injectors are highly efficient with robust durability and high pressure pumping, and are precision-built to prevent grease loss.

► The product size may have some errors depending on the manufacturing process and the method of measuring the size.

Etc.

| RATCHET HANDLE | WHEEL NUT WRENCH |

## RATCHET HANDLE

! Other specifications can be customized.



### HEX HOLE

Size(mm)
24
26
28
30
32
36
38
46
55
60
65
75
80

### SQUARE HOLE

Size(mm)
17
19
21
24
30
32
36
38
46

## WHEEL NUT WRENCH



### Type : L

Size(mm)
19
21
22

### Type : I

Size(mm)
24*22
32* 0
36*22
38*20
38*21
41*21

### BAR

Size(mm)
16
22
25

www.sktool.co.kr



218-23 Geumho-ro, Jicheon-myeon, Chilgok-gun,  
Gyeongsangbuk-do, Republic of Korea

☎ 82-54-977-2205~6

☎ 82-54-977-2207

✉ sktool@hanmail.net